L Number	Hits	Search Text	DB	Time stamp
1	12349	<pre>prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:24
2	25678	allocat\$4 with (process or task or instance)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:25
3	1590	(prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)) with (process or task or instance)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:25
4	291	(allocat\$4 with (process or task or instance)) and ((prefetch\$3 or pre-fetch\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)) with	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:25
5	1054	(process or task or instance)) (prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)) near5 (process or task or instance)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:32
6	16760	allocat\$3 near5 (process or task or instance)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:26
7	16937	allocat\$4 near5 (process or task or instance)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:32
8	199	(allocat\$4 near5 (process or task or instance)) and ((prefetch\$3 or pre-fetch\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)) near5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:31
9	3058	<pre>(process or task or instance)) (process or task or instance or thread) near3 ((address or memory) adj (space or range))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:33
10	17915	allocat\$4 near5 (process or task or instance or thread)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
11	1132	(prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adjahead)) near5 (process or task or instance or thread)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 07:32
12	2	or pre-read\$3 or readahead or (read\$3 adj ahead)) with ((process or task or instance or thread) near3 ((address or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
13	135	<pre>memory) adj (space or range))) ((address or memory) adj (space or range)) near7 (prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adj ahead))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 08:51
14	245	(address adj calculat\$3) adj stage	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
			IBM_TDB	

15	12468	(prefetch\$3 or pre-fetch\$3 or preread\$3	USPAT;	2004/07/22
		or pre-read\$3 or readahead or (read\$3 adj	US-PGPUB;	09:11
		ahead)) with2 ((address adj calculat\$3)	EPO; JPO;	
		adj stage)	DERWENT;	
			IBM TDB	
16	60	(prefetch\$3 or pre-fetch\$3 or preread\$3	USPĀT;	2004/07/22
		or pre-read\$3 or readahead or (read\$3 adj	US-PGPUB;	09:12
		ahead)) with ((address adj calculat\$3)	EPO; JPO;	
		adj stage)	DERWENT;	
			IBM_TDB	
17	111	conditional\$2 near2 (prefetch\$3 or	USPAT;	2004/07/22
		pre-fetch\$3 or preread\$3 or pre-read\$3 or	US-PGPUB;	09:20
		readahead or (read\$3 adj ahead))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
18	78	\ 	USPAT;	2004/07/22
		pre-fetch\$3 or preread\$3 or pre-read\$3 or	US-PGPUB;	09:18
		readahead or (read\$3 adj ahead))) with	EPO; JPO;	
		branch\$3	DERWENT; IBM TDB	
19	33	 (conditional\$2 near2 (prefetch\$3 or	USPAT;	2004/07/22
19	33	conditionals2 hear2 (prefetchs3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or	US-PGPUB;	09:18
		readahead or (read\$3 adj ahead))) not	EPO; JPO;	09.18
		((conditional\$2 near2 (prefetch\$3 or	DERWENT;	
·		pre-fetch\$3 or preread\$3 or pre-read\$3 or	IBM TDB	
		readahead or (read\$3 adj ahead))) with	12.1_122	
		branch\$3)		
20	122	selective\$2 near2 (prefetch\$3 or	USPAT;	2004/07/22
		pre-fetch\$3 or preread\$3 or pre-read\$3 or	US-PGPUB;	09:41
		readahead or (read\$3 adj ahead))	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
21	6	(range or space) same (selective\$2 near2	USPĀT;	2004/07/22
		(prefetch\$3 or pre-fetch\$3 or preread\$3	US-PGPUB;	09:41
		or pre-read\$3 or readahead or (read\$3 adj	EPO; JPO;	
		ahead)))	DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	2	20030163645.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:13
2	1	defining and 20030163645.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
3	1	(integrated adj circuit) and 20030163645.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
4	10063	(range or subset or sub-set) adj (address or memory or storage)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
5	658	(delimit\$3 or de-limit\$3) near5 address\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:24
6	12349	prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adj ahead)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:24
7	42	((delimit\$3 or de-limit\$3) near5 address\$3) with register	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:25
8	15	<pre>pointer and (((delimit\$3 or de-limit\$3) near5 address\$3) with register)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:28
9	154	(prefetch\$3 or pre-fetch\$3 or preread\$3 or pre-read\$3 or readahead or (read\$3 adjahead)) with database	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:29
10	835	register with ((range or subset or sub-set) adj (address or memory or storage))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:29
11	762037	(integrated adj circuit) or ic	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:30
12	11367	pointer near5 register	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22
13	225	(pointer near5 register) and (register with ((range or subset or sub-set) adj (address or memory or storage)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/22 13:30
14	135	<pre>((integrated adj circuit) or ic) and ((pointer near5 register) and (register with ((range or subset or sub-set) adj (address or memory or storage))))</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 13:30

Search History

7/22/04 1:55:10 PM

Page 1

Best Available Copy

		<u>,</u>	T	1
15	83		USPAT;	2004/07/22
		with ((range or subset or sub-set) adj	US-PGPUB;	13:31
		(address or memory or storage)))	EPO; JPO;	
			DERWENT;	
		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	
16	/1	((integrated adj circuit) or ic) and	USPAT;	2004/07/22
		((pointer near5 register) same (register	US-PGPUB;	13:33
		with ((range or subset or sub-set) adj	EPO; JPO;	
		(address or memory or storage))))	DERWENT;	
17	C 4		IBM_TDB	2004/07/22
17	64		USPAT;	2004/07/22
		((pointer near5 register) and (register	US-PGPUB;	13:35
		with ((range or subset or sub-set) adj	EPO; JPO;	
		(address or memory or storage))))) not	DERWENT;	
		(((integrated adj circuit) or ic) and	IBM_TDB	
		((pointer near5 register) same (register with ((range or subset or sub-set) adj		
		(address or memory or storage)))))		
18	5.4	mtrr	USPAT;	2004/07/22
10] 34	MCTT	US-PGPUB;	13:35
			EPO; JPO;	13:35
			DERWENT;	
			IBM TDB	
19	25	 mtrr same (address or pointer)	USPAT;	2004/07/22
19	2.5	mell same (addless of pointer)	US-PGPUB;	13:51
			EPO; JPO;	13.31
			DERWENT;	
			IBM TDB	
20	0	(mtrr same (address or pointer)) not mtrr	USPAT;	2004/07/22
]	(more same (address of points), not more	US-PGPUB;	13:51
			EPO; JPO;	1
	Ì		DERWENT;	
			IBM TDB	
22	0	(prefetch\$3 or pre-fetch\$3 or preread\$3	USPAT;	2004/07/22
		or pre-read\$3 or readahead or (read\$3 adj	US-PGPUB;	13:52
		ahead)) and (mtrr not (mtrr same (address	EPO; JPO;	
		or pointer)))	DERWENT;	
		-	IBM TDB	
21	29	<pre>mtrr not (mtrr same (address or pointer))</pre>	USPAT;	2004/07/22
		•	US-PGPUB;	13:52
]		EPO; JPO;	
			DERWENT;	
			IBM TDB	